

SPONGE MATTING



ErgoEase™

ErgoEase™ is a premium anti-fatigue mat with superior resiliency designed to relieve the negative physical effects of standing fatigue.

- Comfortable “sandwich” mat design incorporates the resiliency of two high-quality foams that provide the ultimate relief from the effects of standing fatigue.
- Can be used in retail and industrial environments.

Code #	Std. Mat Sizes'	Code #	Std. Mat Sizes'
EEM0023BK	2 x 3	EEM0025BK	2 x 5
EEM0024BK	2 x 4	EEM0210BK	2 x 10
Std. Roll Sizes'			
EEM0034BK	3 x 4	EEM0310BK	3 x 10
EEM0035BK	3 x 5		

Custom sizes available. 7/8" thick.
Available in: Black (Bk).



Comfort-King™ Supreme

Designed to give superior anti-fatigue benefits in tough standing environments.

- This product is a full 1/2" thick with all the properties of Comfort-King™.
- The additional thickness offers extraordinary relief from standing fatigue.
- Bevelled edges reduce trip hazards.
- 100% Zedlan™ is resistant to most common chemicals.
- Easy to clean pebble surface.


Code #	Std. Mat Sizes'	Code #	Std. Mat Sizes'
CKSM0023	2 x 3	CKSM0310	3 x 10
CKSM0034	3 x 4	CKSM0046	4 x 6
CKSM0035	3 x 5		
Std. Roll Sizes'			
CKSR0024	2 x 60	CKSR0048	4 x 60
CKSR0036	3 x 60	CKSR0072	6 x 60

Custom sizes available.
Available in: Black (Bk), Grey (Gy),
Royal Blue (Rb)

WORKERS DELIGHT™ with Zedlan™

Using selected surfaces and fusing Zedlan™ to the back...we have created a product resulting in a softer, more resilient family of mats with decreased movement and sliding. Zedlan™ adds both comfort and durability to the surfaces of all Cushion Step products along with Industrial Deck Plate (with and without yellow border).

Two surfaces to choose from



Industrial Deck Plate

Deck Plate Surface	Size'
WD3823 + (c)	2 x 3
WD3835 + (c)	3 x 5
WD3832 + (c)	3 x 12
WDR38(") + (c) + SM - Custom length x sq.ft. Up to 60'	
WDR3824 + (c)	2 x 60
WDR3836 + (c)	3 x 60
WDR3848 + (c)	4 x 60

Available in Black only

Colour border deck plate surface

WDB3823 + (c)	2 x 3
WDB3835 + (c)	3 x 5
WDB3832 + (c)	3 x 12
WDRB38(") + (c) + SM - Custom length x sq. ft. Up to 60'	
WDRB3824 + (c)	2 x 60
WDRB3836 + (c)	3 x 60
WDRB3848 + (c)	4 x 60

Available in Black with coloured border:
Yellow (YB), Orange (OB), Green (GB),
Red (RB), Blue (BB).

Cushion Step

Spiffy Vinyl Surface	Size
WV3880 + (c)	18" x 30"
WV3888 + (c)	18" x 48"
WV3823 + (c)	24" x 36"
WV3835 + (c)	36" x 60"
WVR38(") + (c) + SM - Custom length sizes by sq. ft. up to 60'	
WVR3824 + (c)	2' x 60'
WVR3836 + (c)	3' x 60'
WVR3848 + (c)	4' x 60'

Colours: Blue (BL), Black (BK), Lt. Grey (LG),
Dk. Gray (DG), Dk. Brown (DB), Med Brown (MB).

Marbleized Rubber Surface

WR3880 + (c)	18" x 30"
WR3888 + (c)	18" x 48"
WR3823 + (c)	24" x 36"
WR3835 + (c)	36" x 60"
WRR38(") + (c) + SM - Custom length sizes by sq. ft. up to 60'	
WRR3824 + (c)	2' x 60'
WRR3836 + (c)	3' x 60'
WRR3848 + (c)	4' x 60'

Colours: Grey (GY), French Grey (FY),
Green (GR), Tan (TA), Brown (BR),
Terra Cotta (TC), Blue (BL), Black (BK).



Greater softness




Greater durability



Greater slip resistance

ERGONOMICS - MATTING

Comfort King™ with Zedlan™



- 100% Zedlan™, the new scientific breakthrough in anti-fatigue matting
- Triples the resiliency of vinyl sponges and performs better than laminated products
- Resists punctures from high heels
- Static dissipative surface resistivity of 10⁹ ohms
- Will last three times longer than ribbed surfaces and two times longer than pebble surfaces
- Exceptional abrasive and slip-resistant pebble surface
- 3/8" thickness
- Colours available: Black (BK), Steel Grey (GY), and Royal Blue (BL).

Comfort King

Mats	Sizes	Rolls	Sizes
CKM0023	2' x 3'	CKR0024	2' x 60'
CKM0034	3' x 4'	CKR0036	3' x 60'
CKM0035	3' x 5'	CKR0048	4' x 60'
CKM0310	3' x 10'	CKR0072	6' x 60'
		Custom lengths priced per sq. ft.	

Tuff-Spun®/Foot-Lover™



- Available colours:**
- Black Pebble
 - Brown Pebble
 - Grey Pebble
 - Black Ribbed
 - Brown Ribbed
 - Grey Ribbed

- Durable vinyl sponge construction insulates against cold, reduces noises and provides a comfortable standing or walking surface
- Resistant to many common fluids and chemicals
- Ribbed or pebble surface, 3/8" thickness


Tuff-Spun Foot-Lover Mats

3/8" Ribbed Surface	Sizes
FL2436	24" x 36"
FJS736	27" x 36"
FL2760	27" x 60"
FL3660	36" x 60"

3/8" Pebble Surface	Sizes
FPS436	24" x 36"
FPS736	27" x 36"
FPS760	27" x 60"
FPS660	36" x 60"

60' rolls available

Available Finishes



Pebble



Ribbed

Super Sponge/Foot-Lover™



- Closed cell vinyl sponge
- 5/8" thick for increased cushioned comfort and endurance
- Colours available: Black, Brown or Grey

Super Sponge Rolls


5/8" Ribbed Surface	Sizes
TS60024	2' x 30'
TS60036	3' x 30'
TS60048	4' x 30'
TS60072	6' x 30'

Custom lengths priced per sq. ft.

Super Sponge Super Foot Lover Mats

5/8" Ribbed Surface	Sizes
T60023	2' x 3'
T60034	3' x 4'
T60035	3' x 5'
T60036	3' x 6'
T60046	4' x 6'

Wear-Bonded Comfort King™




Applications:

Industrial workstations, laboratories, assembly lines, process, and packaging areas, service centres and cashiers.


- A durable abrasion-resistant Zedlan™ top surface is Wear-Bonded™ to a highly-ergonomic Zedlan™ foam.
- The Wear-Bonded™ process molecularly bonds layers together without the use of adhesives.
- Available in embossed pebble surface.
- Excellent durability for heavy duty applications where there is no cart traffic.
- Thickness: 1/2"
- Colours: Royal Blue, Black and Steel Grey.

Code #	Std. Mat Sizes'	Code #	Std. Roll Sizes'
WZ1223	2 x 3	WZR1224	2 x 60
WZ1234	3 x 4	WZR1236	3 x 60
WZ1235	3 x 5	WZR1248	4 x 60
WZ1231	3 x 10	Custom cut lengths	
WZ1246	4 x 6	available	



ERGONOMICS - MATTING

Cushion Tile™



- 12" x 12" black inter-locking vinyl modular tiles, 3/4" thick
- Heavy duty construction provides lasting performance for both dry and wet areas
- Waffle grid surface allows for maximum drainage
- Bevelled ramps and corners available
- Size: 12" x 12"

Cushion Tile

Tiles	Sizes	Colours
CH1212	12" x 12"	Black (BK), Grey (GY)
CH1212GT	12" x 12"	Grit Top (Black (BK), Grey (GY)
CH1212	12" x 12"	Assorted

Borders

- CHCEMA - Male corner
- CHCEFE - Female corner
- CHEDMA - Male straight
- CHEDFE - Female straight

Colours

- Yellow (YE)
- Brown (BR)
- Orange (OR)
- Red (RD)
- Magenta (MA)
- Purple (PU)
- Blue (BL)
- Pool Blue (PB)
- Teal (TE)

Cushion tiles are sold by single pieces

Safe-N-Easy™



- Bright yellow borders increase safety and hazard awareness
- 3/8" thick closed cell vinyl sponge foam
- Ribbed or pebble surface
- Colours available: Black with yellow pebble surface or Black with yellow ribbed surface
- Custom Lengths available


Safe-N-Easy Rolls

3/8" Rolls	Sizes
SER3836	3' x 60'
SER3848	4' x 60'

Safe-N-Easy Mats

3/8" Mats	Sizes
SE3835	3' x 5'
SE3831	3' x 10'

Wide Ribbed Rubber Runner




- 100% high quality rubber runner with wide ribbed surface pattern
- Slip and wear resistant. Black
- Performs at low temperatures
- Resists common fluids and chemicals

Wide Rib Rubber Matting

Code #	Sizes
WR1836BK	3' x 75'
WR1848BK	4' x 75'

Cut lengths are available

Walk-N-Clean™




- 60 shoe cleaning tacky sheets treated with a microbial agent, mounted on a non-toxic heavy duty frame with a non-slip, non-skid backing.
- Frame and cleaning pads have a total thickness of 1/8". Refills of 60 sheets available.
- Colour: Grey

Code

Code #	Sizes
WC3125	Single frame 31.5" x 25.5"
WC3151	Double frame 31.5" x 51"
WCRPLPAD	Case of 4 30" x 24" Replacement pads

Spark Safe™



Industrial grade anti-fatigue mat with a rubber foam base and a specially formulated textured rubber surface.

- This durable all rubber product repels sparks and hot metal shards and will perform in the harshest industrial environments.
- Thick foam base reduces leg and back fatigue.
- Textured rubber surface improves traction.
- Bevelled edges minimize tripping.
- This mat is 100% rubber.
- 1/2" thick
- Colour: Black
- Used in Industrial work and welding stations, assembly area and machine shops.

Code

Code #	Std Mat Sizes'
CUMR46RSTX	2' x 3'
CUMR60RSTX	3' x 5'
CUMR64RSTX	3' x 12'

Code

Code #	Std Roll Sizes'
CUMR24RSTX	2' x 60'
CUMR36RSTX	3' x 60'
CUMR48RSTX	4' x 60'

Custom Cut lengths available

ERGONOMICS - MATTING

Cushion Step™ - Rubber



- Durable marbled solid rubber surface or spiffy vinyl laminated to a vinyl sponge
 - Total thickness of approx. 1/2"
 - Provides excellent anti-fatigue benefits
 - Colours: Grey (GY), Brown (BR), Blue (BL), Black (BK).
- Other colours available on request.


Marbled Rubber Surface Sizes

CUMRM80	18" x 30"
CUMRM88	18" x 48"
CUMRM46	24" x 36"
CUMRM60	36" x 60"
CUMRM (") Custom length sizes by sq. ft.	
CUMRMR36	3' x 60'
CUMRMR48	4' x 60'

Spiffy Vinyl Surface

CUMR80	18" x 30"
CUMR88	18" x 48"
CUMR46	24" x 36"
CUMR60	36" x 60"
CUMR (") Custom length sizes by sq. ft.	
CUMRR36	3' x 60'
CUMRR48	4' x 60'

Industrial Deck Plate



- Durable vinyl surface fused to a 5/16" vinyl sponge
- Bevelled edges with rounded corners to reduce tripping
- Resistant to most common fluids and chemicals
- Deck plate with yellow borders provides an additional margin of safety
- 3 year warranty


Deck Plate Sizes

CUMR46DB	2' x 3'
CUMR60DB	3' x 5'
CUMR64DB	3' x 12'
CUMR (") DBSM Custom length by sq. ft.	
CUMRR24DB	2' x 60'
CUMRR36DB	3' x 60'
CUMRR48DB	4' x 60'

Coloured Border Deck Plate

CUMR46+COL	2' x 3'
CUMR60+COL	3' x 5'
CUMR64+COL	3' x 12'
CUMR (") +COL +SM Custom length by sq. ft.	
CUMRR24+COL	2' x 60'
CUMRR36+COL	3' x 60'
CUMRR48+COL	4' x 60'

Sheer Grip™




SUPER GRIP SURFACE

- Heavy Duty 100% vinyl duckboard with a textured grip surface.
- Colour availability: Blue, Red or Gray
- Withstands abrasion, will not rot, chip, rust, mildew or splinter.
- Resists oils, grease, fats, alkalis and acids
- Open grid design allows for excellent drainage
- Serrated surface improves traction reducing the slip hazard
- Maintains flexibility from -40° to 100° C
- Soft, flexible surface provides excellent anti-fatigue benefits
- Excellent for wet areas

Code #	Sizes
SHGR24	24" x 40'
SHGR36	36" x 40'
SHGR48	48" x 40'

Custom lengths priced per sq. ft.

Safety-Step™



- All rubber, 3/4" thick, 3' x 3' modular mat with circular drain holes and multi-nib back
- Built-in connectors on one side allow for easy assemble of mats for large areas
- Durable cushioned rubber provides excellent anti-fatigue benefits
- Available in grease proof red (RD) or general purpose black (BK).

3/4" Thick Mats	Size
KMRG33	3' x 3'
KMLC39	39" Ramp w/LH corner
KMRC39	39" Ramp w/RH corner

Safewalk-Light™



- 1/2" vulcanized rubber anti-fatigue mat with circular drain holes and raised surface ribs
- Circular openings allow for excellent drainage and raised ribs provide added protection against slipping
- Suitable for both wet and dry applications
- Available in two grades: general purpose black (BK) and grease proof Terra Cotta (TC)

General Purpose	Sizes
WSSL35BK	3' x 5'
WSSL31BK	3' x 10'
WSSL15BK	3' x 15'
WSSL32BK	3' x 20'

Grease Proof (1-year warranty)	Sizes
WSSL35TC	3' x 5'
WSSL31TC	3' x 10'
WSSL15TC	3' x 15'
WSSL32TC	3' x 20'

Yoga Flex™



Shows interlocking system that allows you to create any length of mat

- Industrial grade molded vulcanized rubber anti-fatigue mat with a raised, domed surface
- The domed surface encourages frequent changes in body positioning which promotes improved circulation, relief from fatigue and improved worker productivity
- Bevelled borders on 4 sides reduce tripping
- Available in a single mat or interlocking end/center pieces to meet any length requirements.
- Overall thickness 1/2"
- Black only

Code #	Sizes
YFENDSBK (End)	12' x 32'
YFCNTRBK (Center)	28' x 32'
YF0023BK (Mat)	2' x 3'