



STORAGE SYSTEM

—
FOR BENDING TOOLS



CONTENTS










































CONTENT	2	MULTITEK CARTS	16
Legend	3	Material Handling cart.	16
BENDING TOOL STORAGE	4	Preparation and Control Station	16
VTZ CABINETS FOR BENDING TOOLS	6	Shelf Accessories	16
Tool Trays.	6	Drawer Accessories	16
23 ½"W - 3 drawers	7	STATIONARY CABINETS	17
30 ½"W - 4 drawers	7	Heavy-Duty Cabinets	17
37 ½"W - 5 drawers	7	Heavy-Duty Multi-Drawer Cabinet	17
44 ½"W - 6 drawers	7	MOBILE CABINETS	18
R CABINETS FOR BENDING TOOLS	8	Heavy-Duty Toolbox	18
Preconfigured cabinet options	8	Heavy-Duty Multi-Drawer Toolbox	18
36"H - Tool drawers	9	WORKSTATION SYSTEMS	19
36"H - Tool drawers and standard drawer	9	Maintenance Station	19
40"H - Tool drawers	9	Side Table	19
40"H - Tool drawers and standard drawer	9	Mobile Side Table	19
46"H - Tool drawers	10		
46"H - Tool drawers and standard drawer	10		
60"H - Tool drawers	10		
60"H - Tool drawers and standard drawer	10		
R MOBILE CABINETS FOR BENDING TOOLS	11		
Preconfigured cabinet options	11		
Cabinet tops	11		
37 ½"H - Tool drawers.	12		
37 ½"H - Tool drawers and standard drawer	12		
41 ½"H - Tool drawers.	12		
41 ½"H - Tool drawers and standard drawer	12		
CHANGE CART	13		
Change cart with laminated hardwood top and tool tray	13		
DRAWER ACCESSORIES	14		
Extra partitions.	14		
Rubber Mat.	14		
Bending Tool Trays.	15		

THIS BROCHURE FEATURES OUR MOST
POPULAR MODELS.

CONTACT US TO FULLY EXPLORE
A WORLD OF POSSIBILITIES.

LEGEND

Below are the meanings for the various icons used in this document:

	Width		Laminated Wood Top		Bending Tool Tray
	Depth		Stainless Steel Top		Universal Tray (Tools Flat)
	Actual Depth		Painted Steel Top		Adjustable Tray, 1.0"H Hollow (Tools Upright)
	Height		Painted Steel Top with Rubber Mat		Adjustable Tray, 1.5"H Hollow (Tools Upright)
	Load Capacity		Plastic Laminate Top		Number of Hollows
	Linear Feet of Storage		True One-Drawer- at-a-Time System		
	RF31 Drawers		Lock-In Mechanism		
	Subdivided Drawers		Econo Lock- In Mechanism		
	Drawers with NC82 Tool Tray		Central Locking		
	RF62 Drawers		L3 Lock		
	Drawer Bank		LC Locking		
	Multi-Drawer Bank		15A Electrical Outlets		
	Upper Bank		Quantity		
	Left Bank		MultiTek Shelves		
	Right Bank		MultiTek Roll- Out Shelves		
	VTZ Drawer System		MultiTek Shelf Quantity		
	Roll-Out Shelves		No Bending Tool Tray		
	Casters		Number of Bending Tool Trays		

BENDING TOOL STORAGE

Rousseau's bending tool storage system has been designed to provide maximum protection for your punches and dies while offering optimal and ergonomic storage.

Our storage solutions have been engineered for the tools you use, and they take into account the management methods used for storing and transporting them within your company. Our range of solutions are compatible with multiple tool styles: American, European, Wilson WT, Wila NS, Trumpf and more.

Whether you use a system where the tools are stored in a central store then allocated based on the daily production schedule, or each press brake has a toolbox containing the punches and dies needed for specific tasks, we are sure you will find a Rousseau storage solution that meets your needs.






VTZ CABINETS FOR BENDING TOOLS

With VTZ (Vertical Tool Zone) Vertical Storage, you can store many different tools in a relatively small floor area.

The shelves can be adjusted vertically in 3/4" increments c/c to accommodate the height of your tools. They can also support a load of 250lb. Each of the drawers features a floor rolling system that supports a 1,000lb. load in total.

For tool storage, the drawers include a universal tray (flat) and/or adjustable tray (upright). Extra trays can be added as needed.

NOTES: The width of your tools determines the depth of the VTZ cabinet to choose.

Refer to the icon  for the usable dimensions you will have for your tools.


Leave sufficient space for gripping your tools.
We recommend 1 1/2" on either side of the tool.



TOOL TRAYS

Universal tray

- For storing punches and dies flat.
- 4 3/16"W surface in the center for storing tools.
- Can be used to store a variety of items.






	44"	40 1/4"	NC62-0704400
	48"	44 1/4"	NC62-0704800




NC62-070_00

Adjustable trays



- For storing punches and dies upright.
- Can be adjusted to accommodate most tool tangs.
- Includes a fixed central part and two adjustable parts on the sides. The position of the adjustable parts can be adjusted along the width (0.500" to 0.787") based on the tools stored by loosening the screws.
- Includes perforations in the center where the tools middle section can be clipped in if needed.
- Two versions available:
 - o 10 (1.0) : Recommended for American-type tools. Hollow depth: 1.030"
 - o 15 (1.5) : Recommended for European, Wilson WT, Wila NS, Trumpf type tools. Hollow depth: 1.468"

	44"	40 1/4"		NC62-0704415
				NC62-0704410
	48"	44 1/4"		NC62-0704815
				NC62-0704810

NOTE: Refer to technical guide N55 to determine the tray best suited to your tool type.



NC62-070_10



NC62-070_15



L3 Lock



NCB- ... L3



LC Locking



NCB- ... LC



3	23½"	62"		40.25'	NCB-AH620001__
		62"		40.25'	NCB-AH621001__
		62"		40.25'	NCB-AH621501__
		62"		40.25'	NCV-AH629901__
	48"	62"		44.25'	NCB-AI620001__
		62"		44.25'	NCB-AI621001__
		62"		44.25'	NCB-AI621501__
		62"		44.25'	NCV-AI629901__

4	30½"	62"		53'	NCB-DH620001__
		62"		53'	NCB-DH621001__
		62"		53'	NCB-DH621501__
		62"		53'	NCV-DH629901__
	48"	62"		59'	NCB-DI620001__
		62"		59'	NCB-DI621001__
		62"		59'	NCB-DI621501__
		62"		59'	NCV-DI629901__

5	37½"	62"		67'	NCB-GH620001__
		62"		67'	NCB-GH621001__
		62"		67'	NCB-GH621501__
		62"		67'	NCV-GH629901__
	48"	62"		74'	NCB-GI620001__
		62"		74'	NCB-GI621001__
		62"		74'	NCB-GI621501__
		62"		74'	NCV-GI629901__

6	44½"	62"		80.5'	NCB-JH620001__
		62"		80.5'	NCB-JH621001__
		62"		80.5'	NCB-JH621501__
		62"		80.5'	NCV-JH629901__
	48"	62"		88.5'	NCB-JI620001__
		62"		88.5'	NCB-JI621001__
		62"		88.5'	NCB-JI621501__
		62"		88.5'	NCV-JI629901__

R CABINETS FOR BENDING TOOLS

The tools used for bending sheet metal are heavy and come in many different shapes. To store them regardless of their shape, size or weight, we offer a reinforced tool drawer fitted with a structural partition. Extra structural partitions can be added as needed to increase the number of subdivisions inside the drawer (see page 14).

To add a top, see page 11.







LIFETIME WARRANTY





The Rousseau drawer rolling mechanism is covered by a lifetime warranty.

PRECONFIGURED CABINET OPTIONS:

- Tool drawers






	  	
30"	25½"	
36"	31½"	
42"	37½"	400 lb
48"	43½"	
54"	49½"	

NOTES : The usable height of each drawer is 1" inch less than its nominal height.



The width of your tools determines the width of the cabinet to choose.

Refer to the icon  for the usable dimensions you will have for your tools.

Leave sufficient space for gripping your tools.

We recommend 1 ½" on either side of the tool.

- Tool drawers and a standard general-purpose drawer at the bottom





36"H - TOOL DRAWERS

5	4"
2	5"

30"	24"	36"	N5BADE-3401L3
30"	27"	36"	N5BADG-3401L3
36"	24"	36"	N5BAEE-3401L3
36"	27"	36"	N5BAEG-3401L3
42"	24"	36"	N5BAGE-3401L3
42"	27"	36"	N5BAGG-3401L3
48"	24"	36"	N5BAHE-3401L3
48"	27"	36"	N5BAHG-3401L3
54"	24"	36"	N5BAJE-3401L3
54"	27"	36"	N5BAJG-3401L3



36"H - TOOL DRAWERS AND STANDARD DRAWER

5	4"	-
1	-	10"

30"	24"	36"	N5BADE-3402L3
30"	27"	36"	N5BADG-3402L3
36"	24"	36"	N5BAEE-3402L3
36"	27"	36"	N5BAEG-3402L3
42"	24"	36"	N5BAGE-3402L3
42"	27"	36"	N5BAGG-3402L3
48"	24"	36"	N5BAHE-3402L3
48"	27"	36"	N5BAHG-3402L3
54"	24"	36"	N5BAJE-3402L3
54"	27"	36"	N5BAJG-3402L3



40"H - TOOL DRAWERS

6	4"
2	5"

30"	24"	40"	N5BADE-3801L3
30"	27"	40"	N5BADG-3801L3
36"	24"	40"	N5BAEE-3801L3
36"	27"	40"	N5BAEG-3801L3
42"	24"	40"	N5BAGE-3801L3
42"	27"	40"	N5BAGG-3801L3
48"	24"	40"	N5BAHE-3801L3
48"	27"	40"	N5BAHG-3801L3
54"	24"	40"	N5BAJE-3801L3
54"	27"	40"	N5BAJG-3801L3



40"H - TOOL DRAWERS AND STANDARD DRAWER




6	4"	-
1	-	10"

30"	24"	40"	N5BADE-3802L3
30"	27"	40"	N5BADG-3802L3
36"	24"	40"	N5BAEE-3802L3
36"	27"	40"	N5BAEG-3802L3
42"	24"	40"	N5BAGE-3802L3
42"	27"	40"	N5BAGG-3802L3
48"	24"	40"	N5BAHE-3802L3
48"	27"	40"	N5BAHG-3802L3
54"	24"	40"	N5BAJE-3802L3
54"	27"	40"	N5BAJG-3802L3



46"H - TOOL DRAWERS




10	4"

			
30"	24"	46"	N5BADE-4401L3
30"	27"	46"	N5BADG-4401L3
36"	24"	46"	N5BAEE-4401L3
36"	27"	46"	N5BAEG-4401L3
42"	24"	46"	N5BAGE-4401L3
42"	27"	46"	N5BAGG-4401L3
48"	24"	46"	N5BAHE-4401L3
48"	27"	46"	N5BAHG-4401L3
54"	24"	46"	N5BAJE-4401L3
54"	27"	46"	N5BAJG-4401L3



46"H - TOOL DRAWERS AND STANDARD DRAWER




8	4"	-
1	-	8"

			
30"	24"	46"	N5BADE-4402L3
30"	27"	46"	N5BADG-4402L3
36"	24"	46"	N5BAEE-4402L3
36"	27"	46"	N5BAEG-4402L3
42"	24"	46"	N5BAGE-4402L3
42"	27"	46"	N5BAGG-4402L3
48"	24"	46"	N5BAHE-4402L3
48"	27"	46"	N5BAHG-4402L3
54"	24"	46"	N5BAJE-4402L3
54"	27"	46"	N5BAJG-4402L3



60"H - TOOL DRAWERS




11	4"
2	5"

			
30"	24"	60"	N5BADE-5801L3
30"	27"	60"	N5BADG-5801L3
36"	24"	60"	N5BAEE-5801L3
36"	27"	60"	N5BAEG-5801L3
42"	24"	60"	N5BAGE-5801L3
42"	27"	60"	N5BAGG-5801L3
48"	24"	60"	N5BAHE-5801L3
48"	27"	60"	N5BAHG-5801L3
54"	24"	60"	N5BAJE-5801L3
54"	27"	60"	N5BAJG-5801L3



60"H - TOOL DRAWERS AND STANDARD DRAWER

11	4"	-
1	-	10"

			
30"	24"	60"	N5BADE-5802L3
30"	27"	60"	N5BADG-5802L3
36"	24"	60"	N5BAEE-5802L3
36"	27"	60"	N5BAEG-5802L3
42"	24"	60"	N5BAGE-5802L3
42"	27"	60"	N5BAGG-5802L3
48"	24"	60"	N5BAHE-5802L3
48"	27"	60"	N5BAHG-5802L3
54"	24"	60"	N5BAJE-5802L3
54"	27"	60"	N5BAJG-5802L3











R MOBILE CABINETS FOR BENDING TOOLS

The tools used for bending sheet metal are heavy and come in many different shapes. To store them regardless of their shape, size or weight, we offer a reinforced drawer fitted with a structural partition. Extra structural partitions can be added as needed to increase the number of subdivisions inside the drawer (see page 14).




LIFETIME WARRANTY

The Rousseau drawer rolling mechanism is covered by a lifetime warranty.

			
	 		 
	30"25½"		6"
	36"31½"		
	42"37½"	400 lb	
	48"43½"		
	54"49½"		

NOTES : The usable height of each drawer is 1" inch less than its nominal height.

The width of your tools determines the width of the cabinet to choose.

Refer to the icon  for the usable dimensions you will have for your tools.

Leave sufficient space for gripping your tools.







We recommend 1 ½" on either side of the tool.

PRECONFIGURED CABINET OPTIONS

- Tool drawers
- Tool drawers and a large general-purpose drawer at the bottom



CABINET TOPS

						
DIMENSIONS		STEEL WITH RUBBER MAT	LAMINATED HARDWOOD	STAINLESS STEEL*	STAINLESS STEEL WITH MARINE EDGE**	PAINTED STEEL
30"	24"	RC32-3024-01	WS14-3024A	RC35-3024-__	RC35-3024-__M	RC37-3024
	27"	RC32-3027-01	WS14-3027A	RC35-3027-__	RC35-3027-__M	RC37-3027
36"	24"	RC32-3624-01	WS14-3624A	RC35-3624-__	RC35-3624-__M	RC37-3624
	27"	RC32-3627-01	WS14-3627A	RC35-3627-__	RC35-3627-__M	RC37-3627
42"	24"	RC32-4224-01	WS14-4224A	RC35-4224-__	RC35-4224-__M	RC37-4224
	27"	RC32-4227-01	WS14-4227A	RC35-4227-__	RC35-4227-__M	RC37-4227
48"	24"	RC32-4824-01	WS14-4824A	RC35-4824-__	RC35-4824-__M	RC37-4824
	27"	RC32-4827-01	WS14-4827A	RC35-4827-__	RC35-4827-__M	RC37-4827
54"	24"	RC32-5424-01	WS14-5424A	RC35-5424-__	RC35-5424-__M	RC37-5424
	27"	RC32-5427-01	WS14-5427A	RC35-5427-__	RC35-5427-__M	RC37-5427

NOTE: * To order a 12ga top, add "12" to the product number. Leave the number as is for a 16ga top.

** To order, specify the steel gauge required, 12ga or 16ga.



37 1/2"H - TOOL DRAWERS

4	4"
2	5"

30"	24"	37 1/2"	N5BBDE-3001L3A
30"	27"	37 1/2"	N5BBDG-3001L3A
36"	24"	37 1/2"	N5BBEE-3001L3A
36"	27"	37 1/2"	N5BBEG-3001L3A
42"	24"	37 1/2"	N5BBGE-3001L3A
42"	27"	37 1/2"	N5BBGG-3001L3A
48"	24"	37 1/2"	N5BBHE-3001L3A
48"	27"	37 1/2"	N5BBHG-3001L3A
54"	24"	37 1/2"	N5BBJE-3001L3A
54"	27"	37 1/2"	N5BBJG-3001L3A



37 1/2"H - TOOL DRAWERS AND STANDARD DRAWER

4	4"	-
1	-	10"

30"	24"	37 1/2"	N5BBDE-3002L3A
30"	27"	37 1/2"	N5BBDG-3002L3A
36"	24"	37 1/2"	N5BBEE-3002L3A
36"	27"	37 1/2"	N5BBEG-3002L3A
42"	24"	37 1/2"	N5BBGE-3002L3A
42"	27"	37 1/2"	N5BBGG-3002L3A
48"	24"	37 1/2"	N5BBHE-3002L3A
48"	27"	37 1/2"	N5BBHG-3002L3A
54"	24"	37 1/2"	N5BBJE-3002L3A
54"	27"	37 1/2"	N5BBJG-3002L3A



41 1/2"H - TOOL DRAWERS

5	4"
2	5"

30"	24"	41 1/2"	N5BBDE-3401L3A
30"	27"	41 1/2"	N5BBDG-3401L3A
36"	24"	41 1/2"	N5BBEE-3401L3A
36"	27"	41 1/2"	N5BBEG-3401L3A
42"	24"	41 1/2"	N5BBGE-3401L3A
42"	27"	41 1/2"	N5BBGG-3401L3A
48"	24"	41 1/2"	N5BBHE-3401L3A
48"	27"	41 1/2"	N5BBHG-3401L3A
54"	24"	41 1/2"	N5BBJE-3401L3A
54"	27"	41 1/2"	N5BBJG-3401L3A



41 1/2"H - TOOL DRAWERS AND STANDARD DRAWER

5	4"	-
1	-	10"

30"	24"	41 1/2"	N5BBDE-3402L3A
30"	27"	41 1/2"	N5BBDG-3402L3A
36"	24"	41 1/2"	N5BBEE-3402L3A
36"	27"	41 1/2"	N5BBEG-3402L3A
42"	24"	41 1/2"	N5BBGE-3402L3A
42"	27"	41 1/2"	N5BBGG-3402L3A
48"	24"	41 1/2"	N5BBHE-3402L3A
48"	27"	41 1/2"	N5BBHG-3402L3A
54"	24"	41 1/2"	N5BBJE-3402L3A
54"	27"	41 1/2"	N5BBJG-3402L3A

CHANGE CART

Change carts are used for a specific purpose. They are the link between the central store and tool cabinets, which are located next to press brakes, so the cabinets can be filled and emptied on a daily basis.


They have a wider wheelbase at the front of the cart to ensure perfect stability. The cart top has a tool tray and laminated hardwood top for easy tool preparation.

Two versions available  :


- 02 (1.0) : Recommended for American-type tools.
Hollow depth: 1.030".
- 01 (1.5) : Recommended for European, Wilson WT, Wila NS, Trumpf type tools. Hollow depth: 1.468".

NOTES: Refer to technical guide N55 to determine the tray best suited to your tool type.

The usable height of each drawer is 1" inch less than its nominal height.






Refer to the icon  for the usable dimensions you will have for your tools.






Leave sufficient space for gripping your tools.









CHANGE CART WITH LAMINATED HARDWOOD TOP AND TOOL TRAY













				
36"	31 1/2"	24"	41 1/4"	
42"	37 1/2"	24"	41 1/4"	




				
4"	4	200 lb		


				
6"	1	200 lb		


	
6"	

				N5CBEE-3001L3A
36"	24"	41 1/4"		N5CBEE-3002L3A
42"	24"	41 1/4"		N5CBGE-3001L3A
				N5CBGE-3002L3A

		
36"	15"	
42"	15"	

		
36"	9"	
42"	9"	











Always distribute the load evenly to prevent the mobile cabinet from tipping.

EXTRA PARTITIONS

Heavy-duty partitions (RG07) are used to separate tools and provide reinforcement at the bottom of the drawer to prevent it from buckling under a concentrated load.

- Specially designed for tool drawers (RF62).
- Screws in from underneath and to one end of the drawer.


			
	30"	25½"	RG07-3003
	36"	31½"	RG07-3603
	42"	37½"	RG07-4203
	48"	43½"	RG07-4803
	54"	49½"	RG07-5403




RUBBER MAT

1/8" black neoprene mat for RF31 and RF62 drawers for protecting tools and items stored at the bottom of the drawer.

- Installs between partitions (RG07).
- Installs underneath bending tool trays (NC82).

		
30"	24"	RG58-3024
	27"	RG58-3027
36"	24"	RG58-3624
	27"	RG58-3627
42"	24"	RG58-4224
	27"	RG58-4227
48"	24"	RG58-4824
	27"	RG58-4827
54"	24"	RG58-5424
	27"	RG58-5427

Must be cut with a utility knife



ADJUSTABLE BENDING TOOL TRAYS

Stores punches and dies upright.

Can be adjusted to accommodate most tool tangs.

Includes a fixed central part and two adjustable parts on the sides. The position of the adjustable parts can be adjusted along the width (0.500" to 0.787") based on the tools stored by loosening the screws.

Includes perforations in the center where the tools middle section can be clipped in if needed.

Sits in the bottom of Rousseau heavy-duty drawers (RF31/RF32/RF62).


Multiple widths and depths are available so trays can be added to an existing Rousseau cabinet.

Two versions available:





- 10 (1.0) : Recommended for American-type tools. Hollow depth: 1.030".
- 15 (1.5) : Recommended for European, Wilson WT, Wila NS, Trumpf type tools. Hollow depth: 1.468".


NOTES: Refer to technical guide N55 to determine the tray best suited to your tool type.


The usable height of each drawer is 1" inch less than its nominal height.

Refer to the icon  for the usable dimensions you will have for your tools.

Leave sufficient space for gripping your tools.

		   			
30"	25½"	21"	6	NC82-302110	
			6	NC82-302115	
		27"	9	NC82-302710	
			9	NC82-302715	
36"	31½"	21"	6	NC82-362110	
			6	NC82-362115	
		24"	8	NC82-362410	
			8	NC82-362415	
		27"	9	NC82-362710	
42"	37½"		9	NC82-362715	
		24"	8	NC82-422410	
			8	NC82-422415	
		27"	9	NC82-422710	
			9	NC82-422715	
48"	43½"	24"	8	NC82-482410	
			8	NC82-482415	
		27"	9	NC82-482710	
			9	NC82-482715	
54"	49½"	24"	8	NC82-542410	
			8	NC82-542415	
		27"	9	NC82-542710	
			9	NC82-542715	



 NC82-____10

 NC82-____15

MULTITEK CART

The MultiTek Cart provides an ergonomic way to transport and handle items and tools of different sizes. Lightweight and highly durable, it comes with a wide range of configurations and accessories to suit the unique needs of each work activity.

With a maximum load capacity of 600lb. and unrivaled versatility, it is the ideal companion to help you perform your daily tasks.



MATERIAL HANDLING CART

36"	24"	42"	RV-VM4200K109
<hr/>			
	2"	2	
	3"	2	
<hr/>			
	5"		

- For moving parts and tools over long distances.
- Sold non-assembled.

PREPARATION AND CONTROL STATION


31"	21"	54"	NRVB-NH4201L3B
<hr/>			
	2"	1	
	3"	1	
<hr/>			
	4"	1	
<hr/>			
	5"		

- Includes utility panels and a document holder.
- The top shelf with protective polycarbonate top acts as a work surface.
- Includes an adjustable shelf with tool foam, which can hold a vernier, rulers, small measurement tools, and other tools required for the task at hand.
- Sold assembled

SHELF ACCESSORIES



DRAWER ACCESSORIES



STATIONARY CABINETS

Rousseau's modular cabinets boast a heavy-duty and distinctive design that is ideal for all environments. They are market-leading products thanks to the wide range of dimensions and accessories available, their modular design and, above all, their durability. The drawers have a load capacity of 400lb. each and can be opened to full extension.









LIFETIME WARRANTY







The Rousseau drawer rolling mechanism is covered by a lifetime warranty.
















HEAVY-DUTY CABINET

			R5PHE-3806	
				
			4"	7
			6"	1

HEAVY-DUTY CABINET

			R5AHE-5803	
				
			3"	2
			4"	4
			6"	4
			8"	1

HEAVY-DUTY
MULTI-DRAWER CABINET

			R5KJE-4403	
				
			54"	4"
				2
				
			24"	4"
				1
				
				5"
				3
				
				6"
				2
				
				9"
				1
				
				10"
				1
				
				12"
				1



MOBILE CABINET

Rousseau's R Heavy-Duty Mobile Cabinet is one of the safest and most secure on the market. The integrated lock-in mechanism activates with just one hand. With a simple upward movement with just one hand on one of the drawer's ergonomic handles, the drawer opens with incredible ease.

Fitted with high-quality, resistant casters, it has been designed for intensive use in harsh work environments.




LIFETIME WARRANTY

The Rousseau drawer rolling mechanism is covered by a lifetime warranty.







HEAVY-DUTY TOOLBOX





36"	24"	39 1/2"
-----	-----	---------

R5BEE-3010




		
3"	1	
4"	3	
5"	1	
6"	1	




6"





HEAVY-DUTY TOOLBOX





60"	24"	39 1/2"
-----	-----	---------

R5GKE-3017




			
60"	3"	1	
	6"	1	
	3"	1	
24"	4"	1	
	9"	1	
	3"	1	
36"	4"	2	
	5"	1	




6"





HEAVY-DUTY
MULTI-DRAWER TOOLBOX





48"	24"	37 1/2"
-----	-----	---------

R5GHE-3025



			
48"	4"	1	
	3"	4	
18"	4"	1	
	5"	1	
	3"	4	
30"	9"	1	



6"










WORKSTATION SYSTEMS

Whether you need a basic workbench consisting of two legs and a top, or a more specialized, height-adjustable table for stationary or mobile tasks, you will find a solution for every application.

You will love the versatility of our workbenches and their ability to evolve along with your business needs by simply adding one of our many easy-to-install accessories.








MAINTENANCE STATION








		
60"	30"	82"
LC2008C		
		
		
18"	21"	3"
		2
		6"
		1
		12"
		1
100 lb		


- Includes 1 LED light, 1 power outlet channel, 1 utility panel, 10 hooks and 2 tiltable shelves.

SIDE TABLE

		
30"	18"	30"
WSA6101		
		
	1100 lb	
<ul style="list-style-type: none">For placing parts before and after bending.		

MOBILE SIDE TABLE

		
42"	30"	31 1/2"
WSW6101		
		
	500 lb	
		
	4"	
<ul style="list-style-type: none">For placing and transporting parts before and after bending.		



rousseau

ROUSSEAU METAL INC.

Rousseau was founded in 1950. Since then, Rousseau has been designing, engineering and manufacturing modular and industrial storage systems for a variety of markets. Our facilities, covering 254,000 square feet in total and equipped with cutting-edge technology, are a sign of our growth and vitality.





















We offer complete and integrated solutions for all your storage needs: drawers for shelving and cabinets, industrial shelving, Mini-Racking, workstations, hutches, carts, toolboxes, and much more.

Visit www.rousseau.com for more information.

COLORS

STANDARD COLORS

Colors may differ slightly from those shown.

							
Avalanche Blue 055	Everest Blue 051	Classic Blue 052	Midnight Blue 057	Glossy Sapphire Blue 560	Glossy EverGreen 1025	Black 091	Beige 041
							
Frost White 061	Light Gray 071	Modern Gray 745	Charcoal Gray 072	Glossy Carbon Black 741	White 616	Sienna Orange 085	Glossy Yellow 208
							
Flame Red 081	Glossy Carmine Red 806	Glossy Cranberry Red 815	Glossy Black 902				

DRAWER HANDLE ENDCAPS

		
Black 031	Orange 021	Ocean Blue 011

For any questions, please contact your local distributor:

ROUSSEAU METAL INC.

105, avenue de Gaspé Ouest
Saint-Jean-Port-Joli (Québec)
G0R 3G0 CANADA

DISTRIBUTORS
1.800.463.4271


END USERS
1.866.463.4270

WEBSITE
rousseau.com

DISTRIBUTORS ACCESS
e-rousseau.com

CONFIGURATOR
MyModel-r.com

EMAIL
info@rousseau.com



Printed in Canada